







ONETRACK




Versione standard
 Standard version




Versione da controsoffitto
 Recessed version






Viti della testata
 End-feed screws



Pareti sfondabili della testata
 Knock-out walls




Lunghezza cavi
 Length of the wires




Schema elettrico
Electrical scheme


90 I2/ ...




90 I4/ ...




90 I2/ ...




90 II/ ...




90 I4/ ...




90 I5/ ...



90 I6/ ...



90 I2/ ...




900 I/ ..


ALIMENTAÇÃO





90 I3/ ...





90 I2/ ...









	CODE	DESCRIÇÃO	METRO	PVP
	9000-3/B-ST	ONETRACK BLACK 3 METROS	31.00€	93.00€
	9000-3/W-ST	ONETRACK WHITE 3 METROS	31.00€	93.00€
	9000-3/G-ST	ONETRACK ANODISADO 3 METROS	31.00€	93.00€
	EUROSTANDARD PLUS [®] 6 CONDUCTORS TRACK L1/L2/L3/N/ground 16A/440V + D+/D- 2x1A/50V FELV AC (DALI) — External extruded body in aluminium. Available colours: black (B), anodized (G) and white (W) — Insulated extruded body in PVC — Copper conductors			



	CODE	DESCRIÇÃO	METRO	PVP
	9000-3/B-R	ONETRACK RECESS BLACK 3 METROS	31.00€	93.00€
	9000-3/W-R	ONETRACK RECESS WHITE 3 METROS	31.00€	93.00€
	9000-3/G-R	ONETRACK RECESS ANODISADO 3 METROS	31.00€	93.00€
	EUROSTANDARD PLUS [®] 6 CONDUCTORS TRACK L1/L2/L3/N/ground 16A/440V + D+/D- 2x1A/50V FELV AC (DALI) — External extruded body in aluminium. Available colours: black (B), anodized (G) and white (W) — Insulated extruded body in PVC — Copper conductors			

		
	9001/ BLACK _ 9001/G _ 9001/ WHITE	9002/ BLACK _ 9002/G _ 9002/ WHITE
	PVP: 14.00 €	PVP: 14.00 €

	
	9003/ BLACK _ 9003/G _ 9003/ WHITE
	PVP: 11.00 €

		
	9011/ BLACK _ 9011/G _ 9011/ WHITE	9012/ BLACK _ 9012/G _ 9012/ WHITE
	PVP: 24.00 €	PVP: 24.00 €

				
	9013/ BLACK	9014/ BLACK	9015/ BLACK	9016/ BLACK
	9013/G	9014/G	9015/G	9016/G
	9013/ WHITE	9014/ WHITE	9015/ WHITE	9016/ WHITE
	PVP: 42.00 €	PVP: 42.00 €	PVP: 42.00 €	PVP: 42.00 €



		X-FEED
		Black RAL9005 (B), grey RAL7035 (G) white RAL9010 (W)
		Cover for recessed version supplied separately
		9017/ BLACK _ 9017/G _ 9017/ WHITE
		PVP: 52.00 €

	CEILING CLAMP In zinc plated steel
	S-9000/111
	PVP: 2,30 €

	END CAP FOR TRACK WITH LOCKING SCREW — Polycarbonate body. Available colours: black RAL9005 (B), grey RAL7035 (G) and white RAL9010 (W)
	9004/ BLACK _ 9004/G _ 9004/ WHITE
	PVP: 2.90 €

SINGLE PHASE + DALI BASE FOR ADAPTER CEILING MOUNTING


BASE PARA MONTAGEM BASTIDOR DE PROJECTORES CALHA TRI-FÁSICA



- Copper alloy contacts
- Max. load: 50N
- Polycarbonate body
- Available colours:


black RAL9005 (B),
 grey RAL7035 (G)
 white RAL9010 (W)

ADAPTADOR BASTIDOR	CÓDIGO	P.V.P.
BASE PRETO	9000/BP-D-B	32,00 €
BASE CINZA	9000/BP-D-G	32,00 €
BASE BRANCO	9000/BP-D-W	32,00 €



For a correct installation, be sure that the phase selector of the adapter points number 3.

ADAPTADOR PARA BASE 9000/BP MONTAGEM ENCASTRADA



ADAPTADOR BASE	CÓDIGO	P.V.P.
ADPT. PRETO	9000/BR-D-B	28,00 €
ADPT. CINZA	9000/BR-D-G	28,00 €
ADPT. BRANCO	9000/BR-D-W	28,00 €

- Copper alloy contacts
- Max. load: 50N
- Polycarbonate body
- Available colours:

black RAL9005 (B),
 grey RAL7035 (G)
 white RAL9010 (W)

