





# **CURVE C3535** system








**800mm**



**1500mm**




**3000mm**






























## Exemplos de composições



Rectas com diferentes comprimentos

Curvas com 45°, 90° ou 135° : Diâmetros de 800, 1500 e 3000 mm.







∅ 800mm



1m	16.56,64.03lx	321.09cm
2m	4.139,16.01lx	642.19cm
3m	1.839,7.114lx	963.28cm
5m	0.6622,2.561lx	1605.47cm
7m	0.3379,1.307lx	2247.65cm
Height	Eavg,Emax	Angle:116.16deg Diameter

**Profile + Lighting Source**

CRI	Lumens	Voltage	Typ. Power	LEDs/meter	Cutting unit
>80	650LM/pcs	24V	5,8W/pcs	140 LED	14LEDs





1m	30.65,118.6lx	325.32cm
2m	7.662,29.65lx	650.63cm
3m	3.406,13.18lx	975.95cm
5m	1.226,4.744lx	1626.59cm
7m	0.6255,2.420lx	2277.22cm
Height	Eavg,Emax	Angle:116.83deg Diameter

**Profile + Lighting Source**

CRI	Lumens	Voltage	Typ. Power	LEDs/meter	Cutting unit
>80	1300LM/pcs	24V	11,5W/pcs	140 LED	14LEDs



∅ 1500mm



Height	Eavg, Emax	Angle:114.91deg	Diameter
1m	37.55,137.4lx		313.39cm
2m	9.386,34.34lx		626.78cm
3m	4.172,15.26lx		940.17cm
5m	1.502,5.494lx		1566.94cm
7m	0.7662,2.803lx		2193.72cm

**Profile + Lighting Source**

CRI	Lumens	Voltage	Typ. Power	LEDs/meter	Cutting unit
>80	1300LM/pcs	24V	13,2W/pcs	140 LED	14 LEDs





Height	Eavg, Emax	Angle:115.58deg	Diameter
1m	60.07,219.1lx		317.46cm
2m	15.02,54.77lx		634.93cm
3m	6.675,24.34lx		952.39cm
5m	2.403,8.763lx		1587.32cm
7m	1.226,4.471lx		2222.25cm

**Profile + Lighting Source**

CRI	Lumens	Voltage	Typ. Power	LEDs/meter	Cutting unit
>80	2600LM/pcs	24V	26,4W/pcs	140 LED	14 LEDs

∅ 3000mm




1m	66.31,256.1lx	320.62cm
2m	16.58,64.03lx	641.24cm
3m	7.368,28.46lx	961.86cm
5m	2.652,10.25lx	1603.10cm
7m	1.353,5.227lx	2244.33cm
Height	Eavg,Emax	Angle:116.09deg Diameter

**Profile + Lighting Source**

CRI	Lumens	Voltage	Typ. Power	LEDs/meter	Cutting unit
>80	2600LM/pcs	24V	26,4W/pcs	140 LED	14 LEDs


Perfil recto 500, 1000, 1500, 2500mm



1m	71.29,259.9lx	316.30cm
2m	17.82,64.99lx	632.60cm
3m	7.921,28.88lx	948.90cm
5m	2.852,10.40lx	1581.51cm
7m	1.455,5.305lx	2214.11cm
Height	Eavg,Emax	Angle:115.39deg Diameter


**Profile + Lighting Source**


CRI	Lumens	Voltage	Typ. Power	Size: Width	LEDs/meter	Cutting unit
>80	2120 LM/pcs	24V	19W/m	20 mm	140 LED	14 LEDs





		CÓDIGO	SISTEMA CURVE DOWNLIGHT	
--	--	--------	-------------------------	--





TODAS AS PEÇAS INCLUEM: PERFIL, MÓDULOS E DIFUSOR\*

RECTA 500mm	3K	<ul style="list-style-type: none"> <li>■ 0302001.500</li> <li>□ 0302003.500</li> <li>■ 0302005.500</li> </ul>		Perfil C3535: 500*35*35mm  Módulo rígido C3535, 70LEDs/pcs, 24VDC, 630 Lm, 9.2W. Dimensão: 499*20*5.8mm	49,80€
	4K	<ul style="list-style-type: none"> <li>■ 0302002.500</li> <li>□ 0302004.500</li> <li>■ 0302006.500</li> </ul>			

RECTA 1000mm	3K	<ul style="list-style-type: none"> <li>■ 0302001.1000</li> <li>□ 0302003.1000</li> <li>■ 0302005.1000</li> </ul>		Perfil C3535: 1000*35*35mm  Módulo rígido C3535, 70LEDs/pcs, 24VDC, 1060 Lm, 9.2W. Dimensão: 499*20*5.8mm	79,20€
	4K	<ul style="list-style-type: none"> <li>■ 0302002.1000</li> <li>□ 0302004.1000</li> <li>■ 0302006.1000</li> </ul>			

RECTA 1500mm	3K	<ul style="list-style-type: none"> <li>■ 0302001.1500</li> <li>□ 0302003.1500</li> <li>■ 0302005.1500</li> </ul>		Perfil C3535: 1500*35*35mm  Módulo rígido C3535, 70LEDs/pcs, 24VDC, 1690 Lm, 9.2W. Dimensão: 499*20*5.8mm	118,40€
	4K	<ul style="list-style-type: none"> <li>■ 0302002.1500</li> <li>□ 0302004.1500</li> <li>■ 0302006.1500</li> </ul>			

RECTA 2500mm	3K	<ul style="list-style-type: none"> <li>■ 0302001.2500</li> <li>□ 0302003.2500</li> <li>■ 0302005.2500</li> </ul>		Perfil C3535: 2500*35*35mm  Módulo rígido C3535, 70LEDs/pcs, 24VDC, 3150 Lm, 9.2W. Dimensão: 499*20*5.8mm	198,00€
	4K	<ul style="list-style-type: none"> <li>■ 0302002.2500</li> <li>□ 0302004.2500</li> <li>■ 0302006.2500</li> </ul>			

Ø 800mm	3K	<ul style="list-style-type: none"> <li>■ 0302001.800 45G</li> <li>□ 0302003.800 45G</li> <li>■ 0302005.800 45G</li> </ul>		Perfil C3535 diâmetro 800mm : 45°  Módulo rígido C3535 diâmetro 800mm 45° 650LM/pc, 6.6W, 24VDC	 48,16€
		<ul style="list-style-type: none"> <li>■ 0302002.800 45G</li> <li>□ 0302004.800 45G</li> <li>■ 0302006.800 45G</li> </ul>			
	4K	<ul style="list-style-type: none"> <li>■ 0302001.800 90G</li> <li>□ 0302003.800 90G</li> <li>■ 0302005.800 90G</li> </ul>		Perfil C3535 diâmetro 800mm : 90°  2 X Módulo rígido C3535 diâmetro 1600mm 45° 1300Lm, 6.6W, 24VDC	 87,20€
		<ul style="list-style-type: none"> <li>■ 0302002.800 90G</li> <li>□ 0302004.800 90G</li> <li>■ 0302006.800 90G</li> </ul>			




		CÓDIGO	SISTEMA CURVE DOWNLIGHT	
--	--	--------	-------------------------	--






TODAS AS PEÇAS INCLUEM: PERFIL, MÓDULOS E DIFUSOR\*

Ø 1500mm	3K	■ 0302001.1500 45G		Perfil C3535 diâmetro 1500mm : 45° Módulo rígido C3535, diâmetro 1500mm 45° 1300LM, 13.2W/pcs, 24VDC		86,50€
		□ 0302003.1500 45G				
	4K	■ 0302002.1500 45G		2 x Módulo rígido C3535, diâmetro 1500mm 45° 2600LM, 26,4W/pcs, 24VDC		153,00€
		□ 0302004.1500 45G				
Ø 3000mm	3K	■ 0302001.3000 45G		Perfil C3535 diâmetro 3000mm : 45° 2 x Módulo rígido C3535, diâmetro 1500mm : 22,5° 2600LM, 26,4W/pcs, 24VDC		151,60€
		□ 0302003.3000 45G				
	4K	■ 0302002.3000 45G				
		□ 0302004.3000 45G				

		CÓDIGO	SISTEMA CURVE INSIDE / OUTSIDE	
--	--	--------	--------------------------------	--

■ 0302001.1500IN □ 0302003.1500IN ■ 0302005.1500IN		Perfil CINT3535 diâmetro 1500mm : 90° INTERIOR C3535, diâmetro 1500mm 45° 2600LM, 26,4W/pcs, 24VDC	153,00€	
■ 0302002.1500OUT □ 0302004.1500OUT ■ 0302006.1500OUT		Perfil CINT3535 diâmetro 1500mm : 90° INTERIOR C3535, diâmetro 1500mm 45° 2600LM, 26,4W/pcs, 24VDC	153,00€	

CÓDIGO	SISTEMA CURVE ACESSÓRIOS <b>NÃO INCLUIDOS</b>			
10401008		Topos laterais para C3535, 2 unidades	10,08€	SET
10223000		Kit universal para conexão de perfis, rectos ou todos os raios.	6,90€	SET
PYWSA2		Kit suspensão recto, florão para encastre. 2 unidade	34€	SET
0302000.KDC		Kit suspensão oblíquo para <b>alimentação DC</b> . Pack 2 Uds.	40€	SET
10335000		Kit suspensão oblíquo. Pack 2 Uds.	24€	SET

CÓDIGO	SISTEMA CURVE TRIDONIC DRIVERS			
<b>ON OFF</b>		<b>LC 35W/60W/100W/200W SC SNC</b> Long lifetime of up to 50,000 hours 5-year guarantee		
<b>DALI</b>		<b>LCA 35 W/60W/100W/150W 24V one4all SC PRE</b> <b>Dimming</b> via one4all : <b>DALI</b> DT 6, DSI, switchDIM Long lifetime of up to 50,000 hours		
<b>CASAMBI</b>		 <b>LC 35 W/60W/100W/150W 24V bDW SC PRE2</b> CASAMBI _ basicDIM Wireless LED Drivers 		

## NEXT LIGHT 2020

### CURVE SYSTEM C3535

CÓDIGO	DESIGNAÇÃO	PREÇO PVP
0302001.500	CURVE 35 SYSTEM 500MM 3000K OPAL PRETO	49,80 €
0302001.1000	CURVE 35 SYSTEM 1000MM 3000K OPAL PRETO	79,20 €
0302001.1500	CURVE 35 SYSTEM 1500MM 3000K OPAL PRETO	118,80 €
0302001.2500	CURVE 35 SYSTEM 2500MM 3000K OPAL PRETO	198,00 €
0302001.800 45G	CURVE 35 SYSTEM 800 45GMM 3000K OPAL PRETO	48,20 €
0302001.800 90G	CURVE 35 SYSTEM 800 90GMM 3000K OPAL PRETO	87,20 €
0302001.1500 45G	CURVE 35 SYSTEM 1500 45GMM 3000K OPAL PRETO	86,50 €
0302001.1500 90G	CURVE 35 SYSTEM 1500 90GMM 3000K OPAL PRETO	153,00 €
0302001.3000 45G	CURVE 35 SYSTEM 3000 45GMM 3000K OPAL PRETO	151,60 €
0302001.1500 W_IN	CURVE 35 SYSTEM 1500 W_INMM 3000K OPAL PRETO	153,00 €
0302001.1500 W_OUT	CURVE 35 SYSTEM 1500 W_OUTMM 3000K OPAL PRETO	153,00 €

0302002.500	CURVE 35 SYSTEM 500MM 4000K OPAL PRETO	49,80 €
0302002.1000	CURVE 35 SYSTEM 1000MM 4000K OPAL PRETO	79,20 €
0302002.1500	CURVE 35 SYSTEM 1500MM 4000K OPAL PRETO	118,80 €
0302002.2500	CURVE 35 SYSTEM 2500MM 4000K OPAL PRETO	198,00 €
0302002.800 45G	CURVE 35 SYSTEM 800 45GMM 4000K OPAL PRETO	48,20 €
0302002.800 90G	CURVE 35 SYSTEM 800 90GMM 4000K OPAL PRETO	87,20 €
0302002.1500 45G	CURVE 35 SYSTEM 1500 45GMM 4000K OPAL PRETO	86,50 €
0302002.1500 90G	CURVE 35 SYSTEM 1500 90GMM 4000K OPAL PRETO	153,00 €
0302002.3000 45G	CURVE 35 SYSTEM 3000 45GMM 4000K OPAL PRETO	151,60 €
0302002.1500 W_IN	CURVE 35 SYSTEM 1500 W_INMM 4000K OPAL PRETO	153,00 €
0302002.1500 W_OUT	CURVE 35 SYSTEM 1500 W_OUTMM 4000K OPAL PRETO	153,00 €

0302003.500	CURVE 35 SYSTEM 500MM 3000K OPAL BRANCO	49,80 €
0302003.1000	CURVE 35 SYSTEM 1000MM 3000K OPAL BRANCO	79,20 €
0302003.1500	CURVE 35 SYSTEM 1500MM 3000K OPAL BRANCO	118,80 €
0302003.2500	CURVE 35 SYSTEM 2500MM 3000K OPAL BRANCO	198,00 €
0302003.800 45G	CURVE 35 SYSTEM 800 45GMM 3000K OPAL BRANCO	48,20 €
0302003.800 90G	CURVE 35 SYSTEM 800 90GMM 3000K OPAL BRANCO	87,20 €
0302003.1500 45G	CURVE 35 SYSTEM 1500 45GMM 3000K OPAL BRANCO	86,50 €
0302003.1500 90G	CURVE 35 SYSTEM 1500 90GMM 3000K OPAL BRANCO	153,00 €
0302003.3000 45G	CURVE 35 SYSTEM 3000 45GMM 3000K OPAL BRANCO	151,60 €
0302003.1500 W_IN	CURVE 35 SYSTEM 1500 W_INMM 3000K OPAL BRANCO	153,00 €
0302003.1500 W_OUT	CURVE 35 SYSTEM 1500 W_OUTMM 3000K OPAL BRANCO	153,00 €

0302004.500	CURVE 35 SYSTEM 500MM 4000K OPAL BRANCO	49,80 €
0302004.1000	CURVE 35 SYSTEM 1000MM 4000K OPAL BRANCO	79,20 €
0302004.1500	CURVE 35 SYSTEM 1500MM 4000K OPAL BRANCO	118,80 €
0302004.2500	CURVE 35 SYSTEM 2500MM 4000K OPAL BRANCO	198,00 €
0302004.800 45G	CURVE 35 SYSTEM 800 45GMM 4000K OPAL BRANCO	48,20 €
0302004.800 90G	CURVE 35 SYSTEM 800 90GMM 4000K OPAL BRANCO	87,20 €
0302004.1500 45G	CURVE 35 SYSTEM 1500 45GMM 4000K OPAL BRANCO	86,50 €
0302004.1500 90G	CURVE 35 SYSTEM 1500 90GMM 4000K OPAL BRANCO	153,00 €
0302004.3000 45G	CURVE 35 SYSTEM 3000 45GMM 4000K OPAL BRANCO	151,60 €
0302004.1500 W_IN	CURVE 35 SYSTEM 1500 W_INMM 4000K OPAL BRANCO	153,00 €
0302004.1500 W_OUT	CURVE 35 SYSTEM 1500 W_OUTMM 4000K OPAL BRANCO	153,00 €

0302005.500	CURVE 35 SYSTEM 500MM 3000K OPAL CINZA	49,80 €
0302005.1000	CURVE 35 SYSTEM 1000MM 3000K OPAL CINZA	79,20 €
0302005.1500	CURVE 35 SYSTEM 1500MM 3000K OPAL CINZA	118,80 €
0302005.2500	CURVE 35 SYSTEM 2500MM 3000K OPAL CINZA	198,00 €
0302005.800 45G	CURVE 35 SYSTEM 800 45GMM 3000K OPAL CINZA	48,20 €
0302005.800 90G	CURVE 35 SYSTEM 800 90GMM 3000K OPAL CINZA	87,20 €
0302005.1500 45G	CURVE 35 SYSTEM 1500 45GMM 3000K OPAL CINZA	86,50 €
0302005.1500 90G	CURVE 35 SYSTEM 1500 90GMM 3000K OPAL CINZA	153,00 €
0302005.3000 45G	CURVE 35 SYSTEM 3000 45GMM 3000K OPAL CINZA	151,60 €
0302005.1500 W_IN	CURVE 35 SYSTEM 1500 W_INMM 3000K OPAL CINZA	153,00 €
0302005.1500 W_OUT	CURVE 35 SYSTEM 1500 W_OUTMM 3000K OPAL CINZA	153,00 €

0302006.500	CURVE 35 SYSTEM 500MM 4000K OPAL CINZA	49,80 €
0302006.1000	CURVE 35 SYSTEM 1000MM 4000K OPAL CINZA	79,20 €
0302006.1500	CURVE 35 SYSTEM 1500MM 4000K OPAL CINZA	118,80 €
0302006.2500	CURVE 35 SYSTEM 2500MM 4000K OPAL CINZA	198,00 €
0302006.800 45G	CURVE 35 SYSTEM 800 45GMM 4000K OPAL CINZA	48,20 €
0302006.800 90G	CURVE 35 SYSTEM 800 90GMM 4000K OPAL CINZA	87,20 €
0302006.1500 45G	CURVE 35 SYSTEM 1500 45GMM 4000K OPAL CINZA	86,50 €
0302006.1500 90G	CURVE 35 SYSTEM 1500 90GMM 4000K OPAL CINZA	153,00 €
0302006.3000 45G	CURVE 35 SYSTEM 3000 45GMM 4000K OPAL CINZA	151,60 €
0302006.1500 W_IN	CURVE 35 SYSTEM 1500 W_INMM 4000K OPAL CINZA	153,00 €
0302006.1500 W_OUT	CURVE 35 SYSTEM 1500 W_OUTMM 4000K OPAL CINZA	153,00 €